

Archery Equipment and Tuning Record Form

Recurve Bow

Name:					Date:				
Bow Details:		Make:			Model:				
Riser Length:		Overall Length:			Right Hand or Left Hand:				
Marked Draw Weight:		Bows Recommended Brace Heights:			Min:		Max:		
Actual Draw Weight:		Tuned Brace Height:							
Limbs:	Make:		Model:		Length:				
Tiller Settings:		Top Limb:			Bottom Limb:				
Bow Grip:		Type:		Size:		Other:			
Bowstring Details		Length:			Material:		Strand Thickness:		
Number of Strands:				Number of Twists in Bowstring:					
Bottom Loop Length:			Top Loop Length:			Centre Serving Length:			
Bottom Serving Length:			Top Serving Length:			Centre Serving Location-			
Loop Serving Material:				Diameter:		Distance from square of			
Centre Serving Material:				Diameter:		Arrow Rest: Top:		Btm:	
Nocking Point on Bowstring:		Type:		Material:			Weight:		
Nocking Point on Bowstring Location:									
(Measured square of Arrow Rest)									
Kisser Button:		Type:			Location:				
Arrow Rest:		Make:		Model:		Location:			
Over-Draw Length: (4cm Max.)									
Pressure Button:		Make:			Model:				
Number of Turns to Centre-Shot Position:									
Pressure Button Spring:				(Soft, Medium, Hard)					
Number of Turns to Tune Spring Pressure:									
Clicker:		Make:			Model:		Position Setting:		
Bowsight:		Make:			Model:		Sight Pin Type:		
Extension bar length:									
Sight Settings:		30 M. =		50 M. =		70 M. =			
		90 M. =							
Sight Windage Setting for No Wind:									
Stabilizer Rods:									
Long Rod:	Make:			Model:		Length:		Weights:	
V-Bar Rods:		Length:			Weights:				
Other Rods:		Length:			Weights:				
Stabilizer Dampners:				Dampner Setting:					
Total Mass Weight of Bow:					(including all accessories)				
Arrows:		Make:			Model:			Size:	
Cut Shaft Length:		Shaft Weight per Inch:			Weight =		0.00		
Point Type:		Point Weight:			Point Break-Off:				
Point Insert:		Point Insert Weight:							
Any Additional Point Weight:				Measured F.O.C. %:					
Nock Type:		Nock Size:		Nock Weight:					
Nock Inserts:		Nock Insert Weight:		Nock Tension:					
Nock Alignment Angle to Index Fletch:									
Fletches:	Make:			Size:		Fletch Weight:		(each)	
Fletch Angle:		Fletch Helical:							
Fletch Location on Shaft:									
Calculated Mass Weight of Arrow:				0.00		Measured Mass Weight of Arrow:			
Measured Velocity of Arrow:									
Paper Tuning:		Measured Distance from Paper Frame:			Tuned Tear Size:				
Bare Shaft Tuning:		Distance to Target:			Measured Impact Point:				

Archery Equipment and Tuning Record Form

Compound Bow

Name:		Date:	
Bow Details:		Make:	Model:
Riser Length:	Axle to Axle Length:	Right Hand or Left Hand:	
Marked Draw Weight Range:		Recommended Brace Height:	
Actual Draw Weight:	Let-Off %:	Tuned Brace Height:	
Limbs:	Make:	Model:	Length:
Limb Dampners:			
Tiller Settings:	Top Limb:	Bottom Limb:	Limb Dampner Location:
Bow Grip:	Type:	Size:	Other:
Cam Wheel Type:	Cam Setting:	Draw Length Setting:	
Synchronised Wheel Roll-Over Setting:			Cable Guard Position:
Cable Glide:	Make:	Model:	Position Setting:
Bowstring Details	Length:	Material:	Strand Thickness:
Number of Strands:		Number of Twists in Bowstring:	
Bottom Loop Length:	Top Loop Length:	Centre Serving Length:	
Bottom Serving Length:	Top Serving Length:	Centre Serving Location:	
Loop Serving Material:	Diameter:	Distance from square of	
Centre Serving Material:	Diameter:	Arrow Rest: Top:	Btm:
Peep Sight Make:	Peep Sight Size:	Peep Sight Location:	
Cables Length:	Material:	Strand Thickness:	
Number of Strands:	Number of Twists-Top Cable:	Bottom Cable:	
Nocking Point on Bowstring:	Type:	Material:	Weight:
Nocking Point on Bowstring Location: (Measured square of Arrow Rest)			
Arrow Rest (Fingers):	Make:	Model:	Location:
Arrow Launcher (Release Aid):	Make:	Model:	Spring Setting:
Over-Draw Length: (6cm Max.)	Centre-Shot Position:	Height:	
Pressure Button:	Make:	Model:	
Number of Turns to Centre-Shot Position:			
Pressure Button Spring:	(Soft, Medium, Hard)		
Number of Turns to Tune Spring Pressure:			
Clicker:	Make:	Model:	Position Setting:
Bowsight:	Make:	Model:	Sight Pin Type:
Scope Sight Make:	Scope Sight Magnification:	Extension bar length:	
Sight Settings:	30 M. =	50 M. =	70 M. =
	90 M. =		
Sight Windage Setting for No Wind:			
Stabilizer Rods:			
Long Rod: Make:	Model:	Length:	Weights:
V-Bar Rods:	Length:	Weights:	
Other Rods:	Length:	Weights:	
Stabilizer Dampners:		Dampner Setting:	
Total Mass Weight of Bow:		(including all accessories)	
Release Aid:	Make:	Model:	Trigger Setting:
Arrows:	Make:	Model:	Size:
Cut Shaft Length:	Shaft Weight per Inch:	Weight =	0.00
Point Type:	Point Weight:	Point Break-Off:	
Point Insert:	Point Insert Weight:		
Any Additional Point Weight:		Measured F.O.C. %:	
Nock Type:	Nock Size:	Nock Weight:	
Nock Inserts:	Nock Insert Weight:	Nock Tension:	
Nock Alignment Angle to Index Fletch:			
Fletches: Make:	Size:	Fletch Weight:	(each)
Fletch Angle:	Fletch Helical:		
Fletch Location on Shaft:			
Calculated Mass Weight of Arrow:	0.00	Measured Mass Weight of Arrow:	
Measured Velocity of Arrow:			
Paper Tuning:	Measured Distance from Paper Frame:	Tuned Tear Size:	
Bare Shaft Tuning:	Distance to Target:	Measured Impact Point:	